



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020 - 0.040 THK, PER QSI 005 4.9
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: N/A
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 METHOD 6.1
- 7) WEIGHT: 3.18 lbs
- 8) OPEN UP DRAIN HOLE IF NECESSARY TO  $\varnothing$ 0.188 AFTER APPLYING TEXTURED COATING

PRELIMINARY ISSUE

A	NEW ISSUE		AP	15.08.07
REV.	DESCRIPTION		BY	DATE
DESIGN	AP	<b>DART AEROSPACE USA, INC.</b> KENT, WA		
DRAWN	AP			
CHECKED		DRAWING NO.		REV. A2
MFG. APPR.		<b>D5293</b>		SHEET 1 OF 3
APPROVED		TITLE		SCALE
DE APPR.		<b>WEARPLATE</b>		NTS
DATE	15.08.07	COPYRIGHT © 2015 BY DART AEROSPACE USA, INC. <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>		





**NOTES:**

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER MIL-S-5059 OR AMS 5513 OR AMS 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, REF. DART SPEC. M304S18GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 3.18 lbs

PRELIMINARY ISSUE

DESIGN	AP	<b>DART AEROSPACE USA, INC.</b> KENT, WA	
DRAWN	AP		
CHECKED		DRAWING NO.	REV. A2
MFG. APPR.		<b>D5293</b>	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		<b>WEARPLATE</b>	NTS
DATE	15.08.07	COPYRIGHT © 2015 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	